





## **BREAKING THE 21% EFFICIENCY BARRIER**

Q.ANTUM DUO Z Technology with zero gap cell layout boosts module efficiency up to 21.4%.



# THE MOST THOROUGH TESTING PROGRAMME IN THE INDUSTRY

Q CELLS is the first solar module manufacturer to pass the most comprehensive quality programme in the industry: The new "Quality Controlled PV" of the independent certification institute TÜV Rheinland.



### INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behaviour.



## ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



## **EXTREME WEATHER RATING**

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



## A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty<sup>2</sup>.


## THE IDEAL SOLUTION FOR:





<sup>&</sup>lt;sup>1</sup> APT test conditions according to IEC/TS 62804-1:2015, method A (-1500 V, 96h)

 $<sup>^{\</sup>rm 2}$  See data sheet on rear for further information.




#### **ELECTRICAL CHARACTERISTICS**

PO	WER CLASS			395	400	405	410	415
MINIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC1 (POWER TOLERANCE +5W/-0W)								
Minimum	Power at MPP¹	P <sub>MPP</sub>	[W]	395	400	405	410	415
	Short Circuit Current <sup>1</sup>	I <sub>sc</sub>	[A]	11.13	11.16	11.19	11.22	11.26
	Open Circuit Voltage <sup>1</sup>	V <sub>oc</sub>	[V]	45.03	45.06	45.09	45.13	45.16
	Current at MPP	I <sub>MPP</sub>	[A]	10.58	10.64	10.70	10.76	10.82
	Voltage at MPP	$V_{MPP}$	[V]	37.32	37.59	37.85	38.11	38.37
	Efficiency <sup>1</sup>	η	[%]	≥20.1	≥20.4	≥20.6	≥20.9	≥21.1
MINIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT <sup>2</sup>								
Minimum	Power at MPP	P <sub>MPP</sub>	[W]	296.4	300.1	303.9	307.6	311.4
	Short Circuit Current	I <sub>sc</sub>	[A]	8.97	8.99	9.02	9.04	9.07
	Open Circuit Voltage	V <sub>oc</sub>	[V]	42.46	42.49	42.52	42.56	42.59
	Current at MPP	I <sub>MPP</sub>	[A]	8.33	8.38	8.43	8.48	8.53
	Voltage at MPP	V <sub>MPP</sub>	[V]	35.59	35.82	36.04	36.27	36.49

Measurement tolerances P<sub>MPP</sub> ±3%; I<sub>SC</sub>; V<sub>DC</sub> ±5% at STC: 1000W/m², 25±2°C, AM 1.5 according to IEC 60904-3 • 2800 W/m², NMOT, spectrum AM 1.5


### Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.5% degradation per year. At least 93.5% of nominal power up to 10 years. At least 86% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

### PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C, 1000 W/m²).

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I <sub>SC</sub>	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P <sub>MPP</sub>	γ	[%/K]	-0.34	Nominal Module Operating Temperature	NMOT	[°C]	43±3

## PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage	$V_{\text{SYS}}$	[V]	1000	PV module classification	Class II
Maximum Reverse Current	I <sub>R</sub>	[A]	20	Fire Rating based on ANSI/UL 61730	C/TYPE 2
Max. Design Load, Push/Pull		[Pa]	3600/2660	ermitted Module Temperature	-40°C - +85°C
Max. Test Load, Push / Pull		[Pa]	5400/4000	on Continuous Duty	

#### **QUALIFICATIONS AND CERTIFICATES**

Quality Controlled PV - TÜV Rheinland; IEC 61215:2016; IEC 61730:2016. This data sheet complies with DIN EN 50380. QCPV Certification ongoing.













751 kg

**PACKAGING INFORMATION** 



28 pallets





24 pallets 32 modules

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and

#### Hanwha Q CELLS GmbH

Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany | TEL +49 (0)3494 66 99-23444 | FAX +49 (0)3494 66 99-23000 | EMAIL sales@q-cells.com | WEB www.q-cells.com

packaging

