



420-440w Draco Module Series N-TOPCON HIGH EFFICIENCY MONO BM6-16B-G



Aesthetic Design in All Black

Light Weight Makes It Easier to Transport and Install

Extraordinary Product Performance


- Up to 30% additional power yield benefited from bifacial technology and up over 80% cell bifaciality
- Competitive high-temperature performance with ameliorated temperature coefficient
- Better weak illumination response, higher power generation with N-TOPCon technology

High Quality Reliability

- Zero Light Induced Degradation (LID), can increase power generation
- Industry-leading cell processing technology and dual glass contributes to excellent anti-PID characteristic
- First-year degradation is less than 1.0%, with linear degradation of 0.4% per year for 30 years

Wider Application Conditions

• BIPV , vertical installation , snowfield , high-humid area , windy and dusty area



MANAGEMENT SYSTEM CERTIFICATES

IEC 61215, IEC 61730

ISO 9001 2015 / Quality management system

ISO 14001 2015 / Standards for environmental management system

ISO 45001

2018 / International standards for occupational health & safety



GL-EN-VERSION 2023.12.12 0 PHONO SOLAR CO., LTD. ALL RIGHTS RESERVED The data in this datasheet is only valid for Solarclarity B.V..

www.phonosolar.com / info@phonosolar.com

Electrical Typical Values											
Model	1000V	PS420M8GF-18/VNH		PS425M8GF-18/VNH		PS430M8GF-18/VNH		PS435M8GF-18/VNH		PS440M8GF-18/VNH	
	1500V	PS420M8GFH-18/VNH		PS425M8GFH-18/VNH		PS430M8GFH-18/VNH		PS435M8GFH-18/VNH		PS440M8GFH-18/VNH	
Testing	Condition	STC	NOCT								
Rated Power (Pmpp)		420	322	425	325	430	329	435	333	440	337
Rated Current (Impp)		13.18	10.62	13.24	10.66	13.30	10.71	13.36	10.76	13.42	10.81
Rated V	oltage (Vmpp)	31.87	30.30	32.10	30.52	32.34	30.74	32.56	30.95	32.79	31.17
Short Circuit Current (lsc)		13.83	11.14	13.89	11.19	13.95	11.24	14.04	11.31	14.11	11.36
Open Circuit Voltage (Voc)		38.44	36.81	38.73	37.08	39.03	37.37	39.32	37.65	39.61	37.93
Module Efficiency (%)		21.51		21.76		22.02		22.28		22.53	

STC (Standard Testing Conditions): Irradiance 1000W/m², AM 1.5, Cell Temperature 25°C

NOCT (Nominal Operation Cell Temperature): Irradiance 800W/m², Ambient Temperature 20°C , Spectra at AM1.5, Wind at 1m/s

BSTC					
Maximum Power (Pmax)	460	465	470	475	480
Optimum Operating Current (Impp)	14.43	14.49	14.53	14.59	14.64
Optimum Operating Voltage (Vmpp)	31.87	32.10	32.34	32.56	32.79
Short Circuit Current (Isc)	15.15	15.20	15.24	15.29	15.34
Open Circuit Voltage (Voc)	38.44	38.73	39.03	39.32	39.61

BSTC:Front Side Irradiation 1000W/m², Back Side Reflection Irradiation 135W/m², AM 1.5, Ambient Temperature 25°C

Mechanical Characteristics

Temperature Ratings

Voltage Temperature Coefficient

Current Temperature Coefficient

Power Temperature Coefficient

Absolute Maximum Rating

Front Side Maximum Static Loading

Rear Side Maximum Static Loading Maximum Series Fuse Rating

Power Tolerance

Operating Temperature Hail Diameter @ 80km/h

PV Module Classification Fire Rating (IEC61730)

Maximum System Voltage

Packing Configuration

NOCT

Bifaciality

Cell Type	N Type Monocrystalline
Dimension (L × W × H)	Length: 1722mm (67.80 inch) Width: 1134mm (44.65 inch) Height: 30mm (1.18 inch)
Weight	21.0kg (46.30 lbs)
Glass	1.6mm/1.6mm toughened glass
Frame	Anodized Aluminium Alloy
Cable (Including Connector)	4mm² (IEC), (+): 450mm,(-): 250mm or Customized Length
Junction Box	IP 68 Rated

-0.25%/°C

+0.04%/°C

-0.29%/°C

0~+3%

42±2°C

80±5%

From -40 to + 85°C

Up to 25mm 5400Pa

DC 1000V/1500V

40' HQ 936 36


26


2400Pa


30A II

С

Electrical Characteristics







Container	20' GP
Pieces/Container	216
Pcs/Pallet	36
Pallets/Container	6
	PHONO SOLA

PHONO SOLAR TECHNOLOGY CO., LTD. reserves the right to make necessary adjustments to the information described herein at any time without further notice. The specifications and certificates contained in this datasheet may deviate slightly from our actual products due to the on-going innovation and product enhancement. Please be sure to use the most recent version of data.