

iqtc 广东出入境检验检疫局检验检疫技术中心 GUANGDONG INSPECTION AND QUARANTINE TECHNOLOGY CENTER



地址:中国广州市珠江新城花城大道66号B座

Add: Tower B, No. 66 Huacheng Avenue, Zhujiang Xincheng, Guangzhou, China

Website:www.iqtc.cn Postcode:510623







TQ27CJ53TT

No: 01051800009259(E)

Date: 2019-01-03

货物运输条件鉴定书

Certification for Safe Transport of Goods

第九类危险品

Dangerous Goods Class 9

样品名称: 锂离子电池

Sample Name: Li-ion Battery

送检单位: 惠州比亚迪电池有限公司

Applicant: Huizhou BYD Battery Co., Ltd.

广东检验检疫技术中心 Guangdong Inspection And Quarantine Technology Center



广东出入境检验检疫局检验检疫技术中心 GUANGDONG INSPECTION AND QUARANTINE TECHNOLOGY CENTER



地址:中国广州市珠江新城花城大道66号B座

Add: Tower B,No.66 Huacheng Avenue, Zhujiang Xincheng, Guangzhou, China

Website:www.iqtc.cn Postcode:510623



TQ27CJ53TT

01051800009259(E No:

Date: 2019-01-03

2 of 5 Page:

21a -	V-		ification			10.75	8.7	R9/-
货物名称		锂离子电池						
Goods name			Li-ion Battery					
型号 Model			GBSSB 25.6V 270Ah 6.90kWh					
委托单位			惠州比亚迪电池有限公司					
Applicant			Huizhou BYD Battery Co., Ltd.					
生产单位		惠州比亚迪电池有限公司						
Manufacturer		Huizhou BYD Battery Co., Ltd.						
检查方法、程序 Inspection Method and Procedure		《国际海运危险货物规则》(38-16 版) IMO International Maritime Dangerous Goods Code (38-16 Edition)						
样品外观			黑色塑料外壳		AG. Y	450	- 19	0 9 20
Sample Appearance			Black plastic	shell	100		19	- P
包装件信息 电池数量 ackage information Quantity			包装件重量 Package Weight	139Kg	尺寸 Size	588mm(L)*538	mm(W)*535mm(H	
电池信息 Battery	序号			型号		额定瓦时值		放置方式
	No.		ype	Mod		Watt-hour Rating Placeme		Placement
information	150	细호	子电池	GBSSB 25.6V 270Ah 6.90kWh		- 1		只有电池
IIIIOFIIIATION	6)°1	Lithium i	ion batteries 生识别(Hazard	6.90k s identification	cWh on):第9类		6.90kWh 险物质/ class or d	Battery only livision is 9.
鉴定结论 Identificati Conclusio	on on	Lithium 1. 危险性 2. 按照的	ion batteries 生识别(Hazard 关合国《国际 会货物条件办 专用名称: 锂 r shipping nam O.: 3480. 类别: 第 9 类 类别: II 要求(Packaging DG 危险品包 oods are packa ithium ion batt (Inspection date Valid date): 2	A.90kd is identification packets identificat	wh on): 第 9 类 如规则》办 ng to the cor n batteries. Class or divis JN Packing s): 也池包装要: ng to the IM	理类项(nditions sion is 9 group: 求办理。 IDG pac	险物质/ class or d Suggestion accord of Dangerous carg	Battery only livision is 9. ing to IMDG)
鉴定结议 Identificati Conclusio	ò on on	Lithium 1. 危险 2. 按疑 Proper UN N 包	ion batteries 生识别(Hazard 关合国《国际 会货物条件办: 专用名称: 锂 r shipping nam O.: 3480. 类别: 第 9 类 类别: II 要求(Packaging DG 危险品包 oods are packaging thium ion batt Inspection date Valid date): 2	6.90kd s identification is identification in the second i	wh on): 第 9 类 勿规则》办词 to the corn batteries. Class or divisually Packing s): 电池包装要: ng to the IM 19~2018-1	理类项(nditions sion is 9 group: 求办理。 IDG pac	险物质/ class or d Suggestion accord of Dangerous carg	Battery only livision is 9. ing to IMDG) o handled.
鉴定结论 Identificati	on on	Lithium 1. 危险 知 2. 按按运输中 Proper UN 2. 包按 E	ion batteries 生识别(Hazard 关合国《国际 会货物条件办 专用名称: 锂 r shipping nam O.: 3480. 类别: 第 9 类 类别: II 要求(Packaging DG 危险品包 oods are packa ithium ion batt Valid date): 2 明(Period of va 中应贴有 9 类	A.90k is identification in a second in a	wh on): 第 9 类 勿规则》办 ng to the corn batteries. Class or divisus of the lass of the IM 19~2018-1 0-12-31 生标签。	理类项(nditions sion is 9 group: 求办理。	险物质/ class or d Suggestion accord of Dangerous carg	Battery only livision is 9. ing to IMDG) o handled.



^{主检}Appraiser: 周 体 尖



otc 广东出入境检验检疫局检验检疫技术中心

GUANGDONG INSPECTION AND QUARANTINE TECHNOLOGY CENTER



地址:中国广州市珠江新城花城大道66号B座

Add: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Guangzhou, China

Website:www.iqtc.cn Postcode:510623



TQ27CJ53TT

01051800009259(E) No:

Date: 2019-01-03

3 of 5 Page:

货物运输条件鉴定书

Certification for Safe Transport of Goods





包装件与 电池 Package & **Battery**











「东出入境检验检疫局检验检疫技术中心 GUANGDONG INSPECTION AND QUARANTINE TECHNOLOGY CENTER



地址:中国广州市珠江新城花城大道66号B座

Add: Tower B,No.66 Huacheng Avenue, Zhujiang Xincheng,Guangzhou,China Website:www.iqtc.cn Postcode:510623



TQ27CJ53TT

No: 01051800009259(E)

Date: 2019-01-03

4 of 5 Page:

货物运输条件鉴定书

Certification for Safe Transport of Goods

序号 No.	Certification for Safe Transport Of Goods 检査结果及其他事项 Inspection results and other things
Total	本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
2	本报告所述锂电池按照《国际海运危险货物运输规则》(38-16版)2.9.4(5)规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality managemen programmer as described in IMDG CODE (Amdt.38-16) Edition 2.9.4(5).
All Control	
3	锂电池具有适当的防短路措施。 Cells and batteries are properly protected so as to prevent short circuits.
4	锂电池有适当的保护措施防止其在包装件内移位。 Cells and batteries are properly protected so as to secure against moment within the outer package.
5	每个包装件必须使用9类锂电池危险性标签(9A号)。 Each package must be labelled with the Class 9-Lithium Battery hazard label (Model No.9A).
备注 Remark	适用于海运。 Be applicable to transport by sea



otc 广东出入境检验检疫局检验检疫技术中心 GUANGDONG INSPECTION AND QUARANTINE TECHNOLOGY CENTER



地址:中国广州市珠江新城花城大道66号B座

Add: Tower B, No. 66 Huacheng Avenue, Zhujiang Xincheng, Guangzhou, China

Website:www.iqtc.cn Postcode:510623



TQ27CJ53TT

01051800009259(E) No:

2019-01-03 Date:

5 of 5 Page:

注意事项 **Important**

1.本报告无检验单位公章无效。

The test report is invalid without the official stamp of IQTC.

2.未经本实验室书面同意,不得部分地复制本报告。

Nobody is allowed to photocopy or partly photocopy this report without written permission of **IQTC**

3.本报告无批准人、审核人及主检人签名无效。

The test report is invalid without the signatures of Approver, Checker and Appraiser.

4.客户必须如实提供样品及资料,并保证申报品名和样品以及运输货物相同,否则本检测单位 不承担任何相关责任。

The client should provide samples and relevant data, at the same time, they should guarantee the consistence of the product's name they declared, the samples they provided and the goods to be transported. Otherwise we will not bear any relevant responsibilities.

5.本报告涂改无效。

The test report is invalid if altered.

6.对检验报告若有异议,应于收到报告之日起十五天内向检验单位提出。

Objection to the test report must be submitted to IQTC within 15 days.

7.本报告仅对送检样品负责。

The test report is valid for the tested samples only.